

Hướng dẫn cài đặt PHPMyAdmin trên CentOS 7 (dành cho LEMP)

admin Sun, Apr 14, 2019 [Cài Đặt Cơ Bản & Hướng Dẫn](#) 0 1870

PhpMyAdmin là một mã nguồn mở dùng để quản lý MySQL thông qua một trình duyệt web. Bạn có thể dễ dàng cài đặt phpMyAdmin trên Ubuntu, CentOS và Windows.

Nếu bạn không quen với cách sử dụng dòng lệnh (command line) thì phpMyAdmin là một lựa chọn hoàn hảo. Nhưng dù bạn đã quản lý MySQL bằng dòng lệnh một cách thành thạo thì bạn cũng nên sử dụng phpMyAdmin.

Sau đây mình sẽ hướng dẫn các bạn cài đặt PHPMyAdmin dành cho LEMP

Chuẩn bị

Cài đặt kho Remi các bạn tham khảo link sau [Click here](#)

Thêm vào NGINX, PHP-FPM, MARIADB đã được cài đặt trên máy chủ

Các bạn tham khảo link sau [Click here](#)

Tiến hành

Bước 1: cài đặt phpMyAdmin

Dùng dòng lệnh yum

```
# yum install phpMyAdmin -y
```

Bước 2: Tạo một liên kết từ thư mục chứa **phpMyAdmin** sang thư mục chứa nội dung trang web

```
ln -s /usr/share/phpMyAdmin /usr/share/nginx/html/
```

Bước 3: Cấu hình php

S?a file **/etc/php.ini**

```
# nano /etc/php.ini
```

Trong file **php.ini** ta tìm dòng sau

```
;session.save_path = "/tmp"
```

```
; RPM note : session directory must be owned by process owner
; for mod_php, see /etc/httpd/conf.d/php.conf
; for php-fpm, see /etc/php-fpm.d/*conf
;session.save_path = "/tmp"

; Whether to use strict session mode.
; Strict session mode does not accept uninitialized session ID and regene
```

Và s?a thành dòng

```
session.save_path = "/var/lib/php/session/"
```

```
; http://php.net/session.save-path

; RPM note : session directory must be owned by process o
; for mod_php, see /etc/httpd/conf.d/php.conf
; for php-fpm, see /etc/php-fpm.d/*conf
;session.save_path = "/var/lib/php/session/"

; Whether to use strict session mode.
; Strict session mode does not accept uninitialized sessi
; session ID if browser sends uninitialized session ID. S
; applications from session fixation via session adoption
```


??i quy?n s? h?u th? m?c **/var/lib/php/session/**

```
# chown -R nginx:nginx /var/lib/php/session/
```

Kh?i ??ng l?i d?ch v? php-fpm

```
# systemctl restart php-fpm
```

Bây giờ bạn có thể truy cập vào địa chỉ **http://ip-vps/phpMyAdmin**



Online URL: <https://huongdan.maxserver.com/article-121.html>