

Hướng dẫn cài đặt RoundCube trên centos 6 (web mail)

admin Sun, Apr 14, 2019 [Cài Đặt Cơ Bản & Hướng Dẫn](#) 0 2218

Chuẩn bị

Cài đặt kho epel .Tham khảo link sau click here

Cài đặt LAMP .Tham khảo link sau click here

Stop dịch vụ iptables

```
# service iptables stop
```

Cài đặt dovecot

```
# yum install dovecot -y
```

Chọn sửa cấu hình dovecot

Sửa file dovecot.conf

```
# nano /etc/dovecot/dovecot.conf
```

```
listen = *
```

Sửa file 10-auth.conf

```
# nano /etc/dovecot/conf.d/10-auth.conf
```

```
disable_plaintext_auth = no
```

```
auth_mechanisms = plain login
```

Sửa file 10-mail.conf (bỏ dấu '#')

```
# nano /etc/dovecot/conf.d/10-mail.conf
```

```
mail_location = maildir:~/Maildir
```

Sửa file 10-master.conf thêm user và group

```
# nano /etc/dovecot/conf.d/10-master.conf
```

```
# Postfix smtp-auth
```

```
unix_listener /var/spool/postfix/private/auth {  
  mode = 0666
```

```
  user = postfix
```

```
  group = postfix
```

```
}
```

Khởi động lại dovecot

```
# service dovecot start
```

Cho dovecot khởi động cùng hệ thống

```
# chkconfig dovecot on
```

Tiến hành

Tạo user và group mới và đặt mật khẩu cho user đó

```
# useradd nguyenvietduc
```

```
# passwd nguyenvietduc
```

Tạo cơ sở dữ liệu tên là roundcubemail và tạo user cho nó

```
# mysql -u root -p

mysql> CREATE DATABASE roundcubemail;
Query OK, 1 row affected (0.00 sec)

mysql> GRANT ALL ON roundcubemail.* TO roundcube@localhost
IDENTIFIED BY 'nguyenvietduc';
Query OK, 0 rows affected (0.00 sec)

mysql> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.00 sec)

mysql> Ctrl-C -- exit!
Aborted
```

Download roundcube tại trang [Click here](#)

<https://roundcube.net/>

Download your version of Roundcube

Stable version

PACKAGE	SIZE	SHA-256 CHECKSUM
1.1.4 - Dependent (*) DOWNLOAD	3.2 MB	539a11ed38838b221f8139b193d9762638f155c7b0ea9391315865896be16852
1.1.4 - Complete DOWNLOAD	4.6 MB	b1766d5ebaeb6e28043affe181
Framework: 1.1.4 DOWNLOAD		af56018999b0e2aa27f7920d145
Old Version: 1.0.8 DOWNLOAD		a70cc955d5fd6f26185828784b8

Beta version

PACKAGE	SIZE	SHA-256 CHECKSUM
Dependent (*): 1.2-beta DOWNLOAD		53b76c1f50b02b413cb7954fb25
Complete: 1.2-beta DOWNLOAD		72adff329e2b162fc09807d089e
Framework: 1.2-beta DOWNLOAD		91ccda4cc7e909f88167effd800

* Dependent packages only contain source code and must be installed along with Roundcube. All required dependencies are listed in the package file.

Some third-party packages to be installed along with the package file.

Other sources and downloads

- Mở liên kết trong tab mới
- Mở liên kết bằng cửa sổ mới
- Mở liên kết bằng cửa sổ ẩn danh
- Lưu liên kết thành...
- Sao chép địa chỉ liên kết
- Mở hình ảnh trong tab mới
- Lưu hình ảnh thành...
- Sao chép hình ảnh
- Sao chép địa chỉ hình ảnh
- Tim kiếm hình ảnh trên Google
- D** Translate
- Kiểm tra Ctrl+Shift+I

```
# mkdir /download
```

```
# cd /download
```

```
#
```

```
wget
```

<https://downloads.sourceforge.net/project/roundcubemail/roundcubemail/1.1.4/roundcubemail-1.1.4-complete.tar.gz>

Ta gi?i nén file v?a t?i v? và di chuy?n nó vào th? m?c /var/www/html/

```
# tar -xvf roundcubemail-1.1.4-complete.tar.gz
```


```
# mv roundcubemail-1.1.4 /var/www/html/roundcubemail
```

Phân quy?n truy c?p cho 2 th? m?c sau

```
# chmod 777 /var/www/html/roundcubemail/temp
```

```
# chmod 777 /var/www/html/roundcubemail/logs
```

Truy c?p vào ip-vps <http://ip-vps/roundcubemail/installer/> chúng ta s? cài ??t trên trang web ,c? ?n next thôi



roundcube
open source webmail software

How-to Wiki

Roundcube Webmail Installer

1. Check environment 2. Create config 3. Test config

Checking PHP version

Version: **OK** (PHP 5.6.19 detected)

Checking PHP extensions

The following modules/extensions are *required* to run Roundcube:

PCRE: **OK**
DOM: **OK**
Session: **OK**
XML: **OK**
JSON: **OK**
PDO: **OK**

The next couple of extensions are *optional* and recommended to get the best performance:

FileInfo: **OK**
Libiconv: **OK**
MultiByte: **OK**
OpenSSL: **OK**
Mcrypt: **OK**
Intl: **NOT AVAILABLE** (See <http://www.php.net/manual/en/book-intl.php>)
Exif: **OK**
LDAP: **OK**

Checking available databases

Check which of the supported extensions are installed. At least one of them is required.

MySQL: **OK**
PostgreSQL: **NOT AVAILABLE** (See <http://www.php.net/manual/en/ref.pdo-pgsql.php>)
SQLite: **OK**
SQLite (v2): **NOT AVAILABLE** (See <http://www.php.net/manual/en/ref.pdo-sqlite.php>)

107.189.160.9/roundcubemail/installer/index.php?_step=3

Roundcube Webmail Installer

1. Check environment 2. Create config 3. Test config

Check config file
defaults.inc.php: **OK**
config.inc.php: **OK**

Check if directories are writable
Roundcube may need to write/save files into these directories
/var/www/html/roundcubemail/temp/: **OK**
/var/www/html/roundcubemail/logs/: **OK**

Check DB config
DSN (write): **OK**
DB Schema: **NOT OK** (Database not initialized)

Initialize database

Test filetype detection
Fileinfo/mime_content_type configuration: **OK**
Mimetype to file extension mapping: **OK**

Test SMTP config
Server: PHP mail()
Port: 25
Sender:
Recipient:

Test IMAP config
Server: localhost
Port: 143
Username:

10:59 SA 20/03/2016

107.189.160.9/roundcubemail/installer/index.php?_step=3

Roundcube Webmail Installer

1. Check environment 2. Create config 3. Test config

Check config file
defaults.inc.php: **OK**
config.inc.php: **OK**

Check if directories are writable
Roundcube may need to write/save files into these directories
/var/www/html/roundcubemail/temp/: **OK**
/var/www/html/roundcubemail/logs/: **OK**

Check DB config
DSN (write): **OK**
DB Schema: **OK**
DB Write: **OK**
DB Time: **OK**

Test filetype detection
Fileinfo/mime_content_type configuration: **OK**
Mimetype to file extension mapping: **OK**

Test SMTP config
Server: PHP mail()
Port: 25
Sender:
Recipient:

Test IMAP config
Server: localhost
Port: 143
Username:

9:43 CH 22/03/2016

Chú ý sau khi cài ??t xong ta lên xóa th?
m?c /var/www/html/roundcubemail/installer ?i ?? tránh ng??i khác truy c?p
vào

**M?t s? l?i khi cài ??t

@l?i roundcube

Fileinfo/mime_content_type configuration: OK


Mimetype to file extension mapping: NOT OK

```
#s?a
download mime.types
wget http://svn.apache.org/repos/asf/httpd/httpd/trunk/docs/conf/mime.types
c?u hình file config tr? ???ng d?n
$config['mime_types']
= '/home/nginx/mail.maxserver.com/public_html/config/mime.types';
```

```
@l?i rocube
roundcube login failed
không ??ng nh?p ???c
#s?a
Kích ho?t tính n?ng imap g? l?i và g?i các b?n ghi
// Log IMAP conversation to <log_dir>/imap or to syslog
$config['imap_debug'] = true;
```

```
@l?i timezone php
#php -i | grep php.ini
Configuration File (php.ini) Path => /etc
Loaded Configuration File => /etc/php.ini
PHP Warning: Unknown: It is not safe to rely on the system's timezone
settings. You are *required* to use the date.timezone setting or the
date_default_timezone_set() function. In case you used any of those methods
and you are still getting this warning, you most likely misspelled the timezone
identifier. We selected the timezone 'UTC' for now, but please set
date.timezone to select your timezone. in Unknown on line 0
#s?a l?i
nano /etc/php.ini
tìm date.timezone
s?a
[Date]
; Defines the default timezone used by the date functions
; http://php.net/date.timezone
date.timezone = America/New_York
?ây là danh sách timezones mà PHP h? tr?, các b?n có th? tìm v?i vùng phù h?p
v?i thi?t l?p riêng: http://www.php.net/manual/en/timezones.php
# service httpd restart
```

@!?i roundcube
SMTP Error (250): Authentication failed.
#s?a
\$ config ['smtp_user'] = '';



Online URL: <https://huongdan.maxserver.com/article-126.html>